



Technical Hotline
+44 (0)1268 563720

Elements

ELEMENTS

RANGE INTRODUCTION

The MK Elements collection is a revolutionary range of stylish wiring devices. Innovative, iconic and inspiring, the Elements collection is the perfect fusion of distinctive design and unparalleled quality. Inspired by materials such as wood, leather and stone, and with electronic touch control switches and dimmers, the MK Elements collection offers the perfect companion for any interior.

With Elements comes the ultimate fusion of distinctive design and unparalleled quality. The range provides slim, screwless profiles and silent operation, alongside a diverse range of colours, styles and textures, providing the ultimate choice for any interior.

HOW TO SPECIFY

A modern square edged range of wiring devices with metal, glass effect, natural & synthetic finished front plates designed to be fixed within and flush to the colour co-ordinated moulded trim. Moulded Frontplates to be polycarbonate and constructed of two colour matched sections, with an overall profile depth of 7.5mm. Frontplates to be screwless, removable by flat blade screwdriver through discreet bottom access apertures. There shall be no plastic bezel/surround to switch rockers and socket inserts are to be designed with clean, crisp edges. Plug pins shall insert into separate individual socket apertures. Switch rockers and socket inserts to be colour matched to moulded trim. Cable connections must be upward facing with easy to identify white markings on a dark background, grouped in a straight line with captive terminal screws for ease of installation. All sockets to have a 3 pin operated shutter safety mechanism and double pole switching, with the contacts designed such that the neutral makes before and breaks after the live pole for improved safety. Switches to be large with a minimum 3mm contact gap with a positive 'click' to denote successful operation.

FEATURES & BENEFITS

16 STANDARD HIGH QUALITY FINISHES WITH ULTIMATE FLEXIBILITY

16 standard finishes across 4 material groups allow designers to easily complement any interior design. The design service offering also means we can create tailor-made products to suit individual needs.

TOTAL SAFETY

3-pin operated 'child resistant shutter system', which is designed to inhibit access to the electricity supply, unless all 3 pins of a standard British 13A plug are in position.

UNRIVALLED QUALITY AND RELIABILITY

Products are made from the very best materials and production processes. All products are 100% tested.

COMPREHENSIVE RANGE OF SOCKETS, SWITCHES AND MODULAR ANCILLARY PRODUCTS

Whatever the application, the Elements range has a wiring device to suit.


20 YEAR GUARANTEE

Gives total peace of mind to you and your customers. (5 year guarantee for electronic devices)

FRONTPLATE AVAILABLE IN 16 FINISHES
Including Glass effect, Wood, Synthetic and Metal

NO VISIBLE BEZEL

DOUBLE POLE SWITCHING



OPTIONAL INSERT COLOUR
Choice of chalk white, black, beach pebble and natural stone

SLIM, SCREWLESS DESIGN
Frontplate profile 7.5mm

3-PIN "CHILD RESISTANT SHUTTER SYSTEM"
Designed to inhibit access to the electricity supply, unless all 3 pins of a standard 13A plug are in position





Naturals



Synthetics



Metallic



Glass Effect



Switchsocket Outlets

1 GANG DP
DUAL EARTH
13 AMP

1 GANG DP
WITH LED
INDICATOR/
LOCATOR DUAL
EARTH
13 AMP

2 GANG DP
13 AMP

2 GANG DP
WITH LED
INDICATOR/
LOCATOR
13 AMP

2 GANG DP
DUAL EARTH
13 AMP

2 GANG DP
DUAL EARTH
WITH LED
INDICATOR/
LOCATOR
13 AMP

2 GANG DP
WITH 2 X USB
CHARGING PORTS
DUAL EARTH
13 AMP

1 GANG SP
ROUND PIN
5 AMP

Socket Outlets

1 GANG
UNSWITCHED
13 AMP



SYNTHETIC FINISHES										
CHALK WHITE – SCW	K34357SCW	1	K34357NSCW	1	K34347SCW	1	K34347NSCW	1	K34547SCW	1
NATURAL STONE – SNS	K34357SNS	1	K34357NSNS	1	K34347SNS	1	K34347NSNS	1	K34547SNS	1
BEACH PEBBLE – SBP	K34357SBP	1	K34357NSBP	1	K34347SBP	1	K34347NSBP	1	K34547SBP	1
GLASS EFFECT FINISHES										
ICE WHITE – GIW	K34357GIW	1	K34357NGIW	1	K34347GIW	1	K34347NGIW	1	K34547GIW	1
POLISHED JADE – GPJ	K34357GPJ	1	K34357NGPJ	1	K34347GPJ	1	K34347NGPJ	1	K34547GPJ	1
POLISHED ONYX – GPO	K34357GPO	1	K34357NGPO	1	K34347GPO	1	K34347NGPO	1	K34547GPO	1
POLISHED STONE – GPS	K34357GPS	1	K34357NGPS	1	K34347GPS	1	K34347NGPS	1	K34547GPS	1
METALLIC FINISHES										
BRUSHED STEEL – MBS	K34357MBS	1	K34357NMBS	1	K34347MBS	1	K34347NMBS	1	K34547MBS	1
BRUSHED BRONZE – MBB	K34357MBB	1	K34357NMBB	1	K34347MBB	1	K34347NMBB	1	K34547MBB	1
CAST IRON – MCI	K34357MCI	1	K34357NMCI	1	K34347MCI	1	K34347NMCI	1	K34547MCI	1
SATIN PLATINUM – MSP	K34357MSP	1	K34357NMSP	1	K34347MSP	1	K34347NMSP	1	K34547MSP	1
SATIN TITANIUM – MST	K34357MST	1	K34357NMST	1	K34347MST	1	K34347NMST	1	K34547MST	1
NATURAL FINISHES										
BRITISH OAK – NBO	K34357NBO	1	K34357NNBO	1	K34347NBO	1	K34347NNBO	1	K34547NBO	1
CREAM HIDE – NCH	K34357NCH	1	K34357NNCH	1	K34347NCH	1	K34347NNCH	1	K34547NCH	1
DARK HIDE – NDH	K34357NDH	1	K34357NNDH	1	K34347NDH	1	K34347NNDH	1	K34547NDH	1
DARK WENGE – NDW	K34357NDW	1	K34357NNDW	1	K34347NDW	1	K34347NNDW	1	K34547NDW	1

K34547NSCW	1	K34343SCW	1	K34382SCW	1	K34780SCW	1
K34547NSNS	1	K34343SNS	1	K34382SNS	1	K34780SNS	1
K34547NSBP	1	K34343SBP	1	K34382SBP	1	K34780SBP	1
K34547NGIW	1	K34343GIW	1	K34382GIW	1	K34780GIW	1
K34547NGPJ	1	K34343GPJ	1	K34382GPJ	1	K34780GPJ	1
K34547NGPO	1	K34343GPO	1	K34382GPO	1	K34780GPO	1
K34547NGPS	1	K34343GPS	1	K34382GPS	1	K34780GPS	1
K34547NMBS	1	K34343MBS	1	K34382MBS	1	K34780MBS	1
K34547NMBB	1	K34343MBB	1	K34382MBS	1	K34780MBB	1
K34547NMCI	1	K34343MCI	1	K34382MCI	1	K34780MCI	1
K34547NMSP	1	K34343MSP	1	K34382MSP	1	K34780MSP	1
K34547NMST	1	K34343MST	1	K34382MST	1	K34780MST	1
K34547NNBO	1	K34343NBO	1	K34382NBO	1	K34780NBO	1
K34547NNCH	1	K34343NCH	1	K34382NCH	1	K34780NCH	1
K34547NNDH	1	K34343NDH	1	K34382NDH	1	K34780NDH	1
K34547NNDW	1	K34343NDW	1	K34382NDW	1	K34780NDW	1

LEAD TIMES
Please contact our Customer Services Department on 01268 563 404

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC (for extra wiring space)
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS 1363-2:1995

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC (for extra wiring space)
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS 1363-2:1995

MOUNTING BOXES
35mm
886ZIC
47mm
878ZIC (for extra wiring space)
DIMENSIONS
86 x 146mm
FIXING CENTRES
120.6mm
BS 1363-2:1995

MOUNTING BOXES
35mm
886ZIC
47mm
878ZIC (for extra wiring space)
DIMENSIONS
86 x 146mm
FIXING CENTRES
120.6mm
BS 1363-2:1995

MOUNTING BOXES
35mm
886ZIC
47mm
878ZIC (for extra wiring space)
DIMENSIONS
86 x 146mm
FIXING CENTRES
120.6mm
BS 1363-2:1995

MOUNTING BOXES
35mm
886ZIC
47mm
878ZIC (for extra wiring space)
DIMENSIONS
86 x 146mm
FIXING CENTRES
120.6mm
BS 1363-2:1995

USB charging sockets, each capable of supporting 2A charge (total of 2A).
Pattern available for use where existing back box is too shallow, see page 34.

MOUNTING BOXES
35mm
886ZIC
47mm
878ZIC (for extra wiring space)
DIMENSIONS
86 x 146mm
FIXING CENTRES
120.6mm
BS 5733:2010

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC (for extra wiring space)
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS 1363-2:1995

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC (for extra wiring space)
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS 1363-2:1995

Dual Earth: Fitted with two earth terminals to provide a double earth facility for use when installations require a high integrity protective connection as specified within BS 7671:2008.

Dual Earth: Fitted with two earth terminals to provide a double earth facility for use when installations require a high integrity protective connection as specified within BS 7671:2008.

Multimedia Plates

2 GANG DP
SWITCHSOCKET,
EURO 2 MODULE
50 X 50MM (RIGHT SIDE)
13 AMP

2 GANG DP
SWITCHSOCKET,
EURO 2 MODULE
50 X 50MM (LEFT SIDE)
13 AMP

2 GANG DP
SWITCHSOCKET,
EURO 4 MODULE
50 X 50MM (X2)
13 AMP

EURO 8 MODULE
100 X 50MM (X2)

EURO 12 MODULE
150 X 50MM (X2)

Shaver/Toothbrush Supply Units

DUAL VOLTAGE
OUTPUT 115/230V
INPUT 220/240V
50/60HZ



SYNTHETIC FINISHES						
CHALK WHITE – SCW	K34206SCW	1	K34207SCW	1	K34208SCW	1
NATURAL STONE – SNS	K34206SNS	1	K34207SNS	1	K34208SNS	1
BEACH PEBBLE – SBP	K34206SBP	1	K34207SBP	1	K34208SBP	1
GLASS EFFECT FINISHES						
ICE WHITE – GIW	K34206GIW	1	K34207GIW	1	K34208GIW	1
POLISHED JADE – GPJ	K34206GPJ	1	K34207GPJ	1	K34208GPJ	1
POLISHED ONYX – GPO	K34206GPO	1	K34207GPO	1	K34208GPO	1
POLISHED STONE – GPS	K34206GPS	1	K34207GPS	1	K34208GPS	1
METALLIC FINISHES						
BRUSHED STEEL – MBS	K34206MBS	1	K34207MBS	1	K34208MBS	1
BRUSHED BRONZE – MBB	K34206MBB	1	K34207MBB	1	K34208MBB	1
CAST IRON – MCI	K34206MCI	1	K34207MCI	1	K34208MCI	1
SATIN PLATINUM – MSP	K34206MSP	1	K34207MSP	1	K34208MSP	1
SATIN TITANIUM – MST	K34206MST	1	K34207MST	1	K34208MST	1
NATURAL FINISHES						
BRITISH OAK – NBO	K34206NBO	1	K34207NBO	1	K34208NBO	1
CREAM HIDE – NCH	K34206NCH	1	K34207NCH	1	K34208NCH	1
DARK HIDE – NDH	K34206NDH	1	K34207NDH	1	K34208NDH	1
DARK WENGE – NDW	K34206NDW	1	K34207NDW	1	K34208NDW	1

K34209SCW	1	K34210SCW	1	K34709SCW	1
K34209SNS	1	K34210SNS	1	K34709SNS	1
K34209SBP	1	K34210SBP	1	K34709SBP	1
K34209GIW	1	K34210GIW	1	K34709GIW	1
K34209GPJ	1	K34210GPJ	1	K34709GPJ	1
K34209GPO	1	K34210GPO	1	K34709GPO	1
K34209GPS	1	K34210GPS	1	K34709GPS	1
K34209MBS	1	K34210MBS	1	K34709MBS	1
K34209MBB	1	K34210MBB	1	K34709MBB	1
K34209MCI	1	K34210MCI	1	K34709MCI	1
K34209MSP	1	K34210MSP	1	K34709MSP	1
K34209MST	1	K34210MST	1	K34709MST	1
K34209NBO	1	K34210NBO	1	K34709NBO	1
K34209NCH	1	K34210NCH	1	K34709NCH	1
K34209NDH	1	K34210NDH	1	K34709NDH	1
K34209NDW	1	K34210NDW	1	K34709NDW	1

LEAD TIMES
Please contact our Customer
Services Department on
01268 563 404

MOUNTING BOXES
47mm
870ZIC
DIMENSIONS
90.5 x 238mm
BS 1363-2: 1995

MOUNTING BOXES
47mm
870ZIC
DIMENSIONS
90.5 x 238mm
BS 1363-2: 1995

MOUNTING BOXES
47mm
868ZIC
DIMENSIONS
90.5 x 325.3mm
BS 1363-2: 1995

MOUNTING BOXES
47mm
858ZIC
DIMENSIONS
177.8 x 150.5mm
BS 5733:2010

MOUNTING BOXES
47mm
869ZIC
DIMENSIONS
177.8 x 210.8mm
BS 5733:2010

MOUNTING BOXES
47mm
878ZIC
DIMENSIONS
146 x 86mm
FIXING CENTRES
120.6mm
BS EN 61558-2-5:1998

Connection Units

SWITCHED
13 AMP



SWITCHED
WITH FLEX OUTLET
& NEON
13 AMP



UNSWITCHED
WITH FLEX OUTLET
& NEON
13 AMP



High Current Switches

1 GANG DP
WITH NEON
32 AMP



1 GANG DP
50 AMP



1 GANG DP
MARKED "COOKER"
50 AMP



1 GANG DP
WITH NEON
50 AMP



1 GANG DP
WITH NEON
MARKED "COOKER"
50 AMP



3 Pole Fan Isolator

10 AMP



SYNTHETIC FINISHES								
CHALK WHITE – SCW	K34941SCW	1	K34971SCW	1	K34978SCW	1	K34305SCW	1
NATURAL STONE – SNS	K34941SNS	1	K34971SNS	1	K34978SNS	1	K34305SNS	1
BEACH PEBBLE – SBP	K34941SBP	1	K34971SBP	1	K34978SBP	1	K34305SBP	1
GLASS EFFECT FINISHES								
ICE WHITE – GIW	K34941GIW	1	K34971GIW	1	K34978GIW	1	K34305GIW	1
POLISHED JADE – GPJ	K34941GPJ	1	K34971GPJ	1	K34978GPJ	1	K34305GPJ	1
POLISHED ONYX – GPO	K34941GPO	1	K34971GPO	1	K34978GPO	1	K34305GPO	1
POLISHED STONE – GPS	K34941GPS	1	K34971GPS	1	K34978GPS	1	K34305GPS	1
METALLIC FINISHES								
BRUSHED STEEL – MBS	K34941MBS	1	K34971MBS	1	K34978MBS	1	K34305MBS	1
BRUSHED BRONZE – MBB	K34941MBB	1	K34971MBB	1	K34978MBB	1	K34305MBB	1
CAST IRON – MCI	K34941MCI	1	K34971MCI	1	K34978MCI	1	K34305MCI	1
SATIN PLATINUM – MSP	K34941MSP	1	K34971MSP	1	K34978MSP	1	K34305MSP	1
SATIN TITANIUM – MST	K34941MST	1	K34971MST	1	K34978MST	1	K34305MST	1
NATURAL FINISHES								
BRITISH OAK – NBO	K34941NBO	1	K34971NBO	1	K34978NBO	1	K34305NBO	1
CREAM HIDE – NCH	K34941NCH	1	K34971NCH	1	K34978NCH	1	K34305NCH	1
DARK HIDE – NDH	K34941NDH	1	K34971NDH	1	K34978NDH	1	K34305NDH	1
DARK WENGE – NDW	K34941NDW	1	K34971NDW	1	K34978NDW	1	K34305NDW	1

K34337SCW	1	K34337CKSCW	1	K34337NSCW	1	K34337NCKSCW	1	K34859SCW	1
K34337SNS	1	K34337CKSNS	1	K34337NSNS	1	K34337NCKSNS	1	K34859SNS	1
K34337SBP	1	K34337CKSBP	1	K34337NSBP	1	K34337NCKSBP	1	K34859SBP	1
K34337GIW	1	K34337CKGIW	1	K34337NGIW	1	K34337NCKGIW	1	K34859GIW	1
K34337GPJ	1	K34337CKGPJ	1	K34337NGPJ	1	K34337NCKGPJ	1	K34859GPJ	1
K34337GPO	1	K34337CKGPO	1	K34337NGPO	1	K34337NCKGPO	1	K34859GPO	1
K34337GPS	1	K34337CKGPS	1	K34337NGPS	1	K34337NCKGPS	1	K34859GPS	1
K34337MBS	1	K34337CKMBS	1	K34337NMBS	1	K34337NCKMBS	1	K34859MBS	1
K34337MBB	1	K34337CKMBB	1	K34337NMBB	1	K34337NCKMBB	1	K34859MBB	1
K34337MCI	1	K34337CKMCI	1	K34337NMCI	1	K34337NCKMCI	1	K34859MCI	1
K34337MSP	1	K34337CKMSP	1	K34337NMSP	1	K34337NCKMSP	1	K34859MSP	1
K34337MST	1	K34337CKMST	1	K34337NMST	1	K34337NCKMST	1	K34859MST	1
K34337NBO	1	K34337CKNBO	1	K34337NNBO	1	K34337NCKNBO	1	K34859NBO	1
K34337NCH	1	K34337CKNCH	1	K34337NNCH	1	K34337NCKNCH	1	K34859NCH	1
K34337NDH	1	K34337CKNDH	1	K34337NNDH	1	K34337NCKNDH	1	K34859NDH	1
K34337NDW	1	K34337CKNDW	1	K34337NNDW	1	K34337NCKNDW	1	K34859NDW	1

LEAD TIMES
Please contact our Customer Services Department on 01268 563 404

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS1363-4:1995

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS1363-4:1995

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS1363-4:1995

MOUNTING BOXES
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BSEN60669-1:1999

MOUNTING BOXES
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-1:1999

MOUNTING BOXES
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-1:1999

MOUNTING BOXES
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-1:1999

MOUNTING BOXES
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-1:1999

MOUNTING BOXES
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-4
K4858 switchlock is suitable for this product

DP Switches are not recommended for switching large banks of PCs.

DP Switches are not recommended for switching large banks of PCs.

Electronic Switches

1 GANG SINGLE
2 WAY SP
400W

1 GANG DOUBLE
2 WAY SP
2 X 400W

1 GANG SINGLE
1 WAY SP 10AX

Electronic Dimmers

2 WAY SINGLE
60-500W/400VA
6-150W LED
LEADING EDGE

2 WAY SINGLE
40-300W/240VA
6-120W LED
LEADING EDGE

2 WAY DOUBLE
40-300W/240VA
6-120W LED FOR EACH
DIMMER
LEADING EDGE

2 WAY SINGLE
25-500W/400VA
TRAILING EDGE

2 WAY SINGLE
25-300W/240VA
TRAILING EDGE



SYNTHETIC FINISHES								
CHALK WHITE – SCW	K34371SCW	1	K34372SCW	1	K34370SCW	1	K34100SCW	1
NATURAL STONE – SNS	K34371SNS	1	K34372SNS	1	K34370SNS	1	K34100SNS	1
BEACH PEBBLE – SBP	K34371SBP	1	K34372SBP	1	K34370SBP	1	K34100SBP	1
GLASS EFFECT FINISHES								
ICE WHITE – GIW	K34371GIW	1	K34372GIW	1	K34370GIW	1	K34100GIW	1
POLISHED JADE – GPJ	K34371GPJ	1	K34372GPJ	1	K34370GPJ	1	K34100GPJ	1
POLISHED ONYX – GPO	K34371GPO	1	K34372GPO	1	K34370GPO	1	K34100GPO	1
POLISHED STONE – GPS	K34371GPS	1	K34372GPS	1	K34370GPS	1	K34100GPS	1
METALLIC FINISHES								
BRUSHED STEEL – MBS	K34371MBS	1	K34372MBS	1	K34370MBS	1	K34100MBS	1
BRUSHED BRONZE – MBB	K34371MBB	1	K34372MBB	1	K34370MBB	1	K34100MBB	1
CAST IRON – MCI	K34371MCI	1	K34372MCI	1	K34370MCI	1	K34100MCI	1
SATIN PLATINUM – MSP	K34371MSP	1	K34372MSP	1	K34370MSP	1	K34100MSP	1
SATIN TITANIUM – MST	K34371MST	1	K34372MST	1	K34370MST	1	K34100MST	1
NATURAL FINISHES								
BRITISH OAK – NBO	K34371NBO	1	K34372NBO	1	K34370NBO	1	K34100NBO	1
CREAM HIDE – NCH	K34371NCH	1	K34372NCH	1	K34370NCH	1	K34100NCH	1
DARK HIDE – NDH	K34371NDH	1	K34372NDH	1	K34370NDH	1	K34100NDH	1
DARK WENGE – NDW	K34371NDW	1	K34372NDW	1	K34370NDW	1	K34100NDW	1

K34101SCW	1	K34102SCW	1	K34103SCW	1	K34104SCW	1
K34101SNS	1	K34102SNS	1	K34103SNS	1	K34104SNS	1
K34101SBP	1	K34102SBP	1	K34103SBP	1	K34104SBP	1
K34101GIW	1	K34102GIW	1	K34103GIW	1	K34104GIW	1
K34101GPJ	1	K34102GPJ	1	K34103GPJ	1	K34104GPJ	1
K34101GPO	1	K34102GPO	1	K34103GPO	1	K34104GPO	1
K34101GPS	1	K34102GPS	1	K34103GPS	1	K34104GPS	1
K34101MBS	1	K34102MBS	1	K34103MBS	1	K34104MBS	1
K34101MBB	1	K34102MBB	1	K34103MBB	1	K34104MBB	1
K34101MCI	1	K34102MCI	1	K34103MCI	1	K34104MCI	1
K34101MSP	1	K34102MSP	1	K34103MSP	1	K34104MSP	1
K34101MST	1	K34102MST	1	K34103MST	1	K34104MST	1
K34101NBO	1	K34102NBO	1	K34103NBO	1	K34104NBO	1
K34101NCH	1	K34102NCH	1	K34103NCH	1	K34104NCH	1
K34101NDH	1	K34102NDH	1	K34103NDH	1	K34104NDH	1
K34101NDW	1	K34102NDW	1	K34103NDW	1	K34104NDW	1

LEAD TIMES
Please contact our Customer
Services Department on
01268 563 404

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

Electronic Dimmers

2 WAY DOUBLE
25-300W/240VA
TRAILING EDGE


1 WAY 6AX
1-10V



Rotary Dimmers

2 WAY SINGLE
230V A.C. 50HZ
60W/VA MIN. -
500W/400VA MAX

2 WAY DOUBLE
230V A.C. 50HZ
40W/VA MIN. -
300W/240VA MAX.
FOR EACH DIMMER



Grid Modular Frontplates


1 MODULE



2 MODULE



3 MODULE



4 MODULE



Grid Modules

1 WAY SP
10 AMP



1 WAY SP
LED LOCATOR
10 AMP



SYNTHETIC FINISHES														
CHALK WHITE – SCW	K34105SCW	1	K34499SCW	1	K34301SCW	1	K34522SCW	1	K35131SCW	1				
NATURAL STONE – SNS	K34105SNS	1	K34499SNS	1	K34301SNS	1	K34522SNS	1	K35131SNS	1				
BEACH PEBBLE – SBP	K34105SBP	1	K34499SBP	1	K34301SBP	1	K34522SBP	1	K35131SBP	1				
GLASS EFFECT FINISHES														
ICE WHITE – GIW	K34105GIW	1	K34499GIW	1	K34301GIW	1	K34522GIW	1	K35131GIW	1				
POLISHED JADE – GPJ	K34105GPJ	1	K34499GPJ	1	K34301GPJ	1	K34522GPJ	1	K35131GPJ	1				
POLISHED ONYX – GPO	K34105GPO	1	K34499GPO	1	K34301GPO	1	K34522GPO	1	K35131GPO	1				
POLISHED STONE – GPS	K34105GPS	1	K34499GPS	1	K34301GPS	1	K34522GPS	1	K35131GPS	1				
METALLIC FINISHES														
BRUSHED STEEL – MBS	K34105MBS	1	K34499MBS	1	K34301MBS	1	K34522MBS	1	K35131MBS	1				
BRUSHED BRONZE – MBB	K34105MBB	1	K34499MBB	1	K34301MBB	1	K34522MBB	1	K35131MBB	1				
CAST IRON – MCI	K34105MCI	1	K34499MCI	1	K34301MCI	1	K34522MCI	1	K35131MCI	1				
SATIN PLATINUM – MSP	K34105MSP	1	K34499MSP	1	K34301MSP	1	K34522MSP	1	K35131MSP	1				
SATIN TITANIUM – MST	K34105MST	1	K34499MST	1	K34301MST	1	K34522MST	1	K35131MST	1				
NATURAL FINISHES														
BRITISH OAK – NBO	K34105NBO	1	K34499NBO	1	K34301NBO	1	K34522NBO	1	K35131NBO	1				
CREAM HIDE – NCH	K34105NCH	1	K34499NCH	1	K34301NCH	1	K34522NCH	1	K35131NCH	1				
DARK HIDE – NDH	K34105NDH	1	K34499NDH	1	K34301NDH	1	K34522NDH	1	K35131NDH	1				
DARK WENGE – NDW	K34105NDW	1	K34499NDW	1	K34301NDW	1	K34522NDW	1	K35131NDW	1				

LEAD TIMES
Please contact our Customer Services Department on 01268 563 404

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-2-1:2004

MOUNTING BOXES
35mm
866ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS5733:2010

MOUNTING BOXES
35mm
866ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS5733:2010

MOUNTING BOXES
35mm
866ZIC
DIMENSIONS
86 x 146mm
FIXING CENTRES
120.6mm
BS5733:2010

MOUNTING BOXES
35mm
866ZIC
DIMENSIONS
86 x 146mm
FIXING CENTRES
120.6mm
BS5733:2010

These switches do NOT have to be derated when used with fluorescent or inductive loads.
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.
BS EN 60669-1:1999

Includes mounting frame

Includes mounting frame

Grid Modules

1 WAY SP
WIDE ROCKER
10 AMP

1 WAY SP
WIDE ROCKER
LED LOCATOR
10 AMP

2 WAY SP
10 AMP

2 WAY SP
LED LOCATOR
10 AMP

2 WAY SP
WIDE ROCKER
10 AMP

2 WAY SP
WIDE ROCKER
LED LOCATOR
10 AMP

2 WAY SP
RETRACTIVE
MARKED 'PRESS'
10 AMP

2 WAY SP
WIDE ROCKER
RETRACTIVE
MARKED 'PRESS'
10 AMP



SYNTHETIC FINISHES

CHALK WHITE – SCW	K34981SCW	1	K34981NSCW	1	K34882SCW	1	K34882NSCW	1
NATURAL STONE – SNS	K34981SNS	1	K34981NSNS	1	K34882SNS	1	K34882NSNS	1
BEACH PEBBLE – SBP	K34981SBP	1	K34981NSBP	1	K34882SBP	1	K34882NSBP	1
BLACK – BLK	K34981BLK	1	K34981NBLK	1	K34882BLK	1	K34882NBLK	1

K34982SCW	1	K34982NSCW	1	K34910SCW	1	K34911SCW	1
K34982SNS	1	K34982NSNS	1	K34910SNS	1	K34911SNS	1
K34982SBP	1	K34982NSBP	1	K34910SBP	1	K34911SBP	1
K34982BLK	1	K34982NBLK	1	K34910BLK	1	K34911BLK	1

LEAD TIMES
Please contact our Customer
Services Department on
01268 563 404

These switches do NOT have to be
derated when used with fluorescent or
inductive loads.
BS EN 60669-1:1999

These switches do NOT have to be
derated when used with fluorescent or
inductive loads.
BS EN 60669-1:1999

These switches do NOT have to be
derated when used with fluorescent or
inductive loads.
BS EN 60669-1:1999

These switches do NOT have to be
derated when used with fluorescent or
inductive loads.
BS EN 60669-1:1999

These switches do NOT have to be
derated when used with fluorescent or
inductive loads.
BS EN 60669-1:1999

These switches do NOT have to be
derated when used with fluorescent or
inductive loads.
BS EN 60669-1:1999

NOTE
Push switches are not designed for
fluorescent loads.
BS EN 60669-1:1999

NOTE
Push switches are not designed for
fluorescent loads.
BS EN 60669-1:1999

Grid Modules

2 WAY SP
RETRACTIVE
MARKED WITH
BELL SYMBOL
10 AMP

2 WAY SP
WIDE ROCKER
RETRACTIVE
MARKED WITH
BELL SYMBOL
10 AMP

2 WAY SP
RETRACTIVE PUSH
10 AMP

2 WAY SP
WIDE ROCKER
RETRACTIVE PUSH
10 AMP



2 WAY
CENTRE OFF
RETRACTIVE
10 AMP

2 WAY
WIDE ROCKER
CENTRE OFF
RETRACTIVE
10 AMP

WIDE ROCKER
INTERMEDIATE
10 AMP

1 WAY SP
20 AMP

1 WAY SP
LED LOCATOR
20 AMP



SYNTHETIC FINISHES	2 WAY SP RETRACTIVE				2 WAY SP WIDE ROCKER RETRACTIVE				2 WAY CENTRE OFF RETRACTIVE			2 WAY WIDE ROCKER CENTRE OFF RETRACTIVE			WIDE ROCKER INTERMEDIATE		1 WAY SP	1 WAY SP LED LOCATOR
CHALK WHITE – SCW	K34885BSCW	1	K34985BSCW	1	K34885SCW	1	K34985SCW	1	K34900SCW	1	K34901SCW	1	K34993SCW	1	K34891SCW	1	K34891NSCW	1
NATURAL STONE – SNS	K34885BSNS	1	K34985BSNS	1	K34885SNS	1	K34985SNS	1	K34900SNS	1	K34901SNS	1	K34993SNS	1	K34891SNS	1	K34891NSNS	1
BEACH PEBBLE – SBP	K34885BSBP	1	K34985BSBP	1	K34885SBP	1	K34985SBP	1	K34900SBP	1	K34901SBP	1	K34993SBP	1	K34891SBP	1	K34891NSBP	1
BLACK – BLK	K34885BBLK	1	K34985BBLK	1	K34885BLK	1	K34985BLK	1	K34900BLK	1	K34901BLK	1	K34993BLK	1	K34891BLK	1	K34891NBLK	1

LEAD TIMES
Please contact our Customer Services Department on 01268 563 404

NOTE
Push switches are not designed for fluorescent loads.
BS EN 60669-1:1999

NOTE
Push switches are not designed for fluorescent loads.
BS EN 60669-1:1999

NOTE
Push switches are not designed for fluorescent loads.
BS EN 60669-1:1999

NOTE
Push switches are not designed for fluorescent loads.
BS EN 60669-1:1999

NOTE
Push switches are not designed for fluorescent loads.
BS EN 60669-1:1999

NOTE
Push switches are not designed for fluorescent loads.
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads.
BS EN 60669-1:1999

Grid Modules

1 WAY SP
WIDE ROCKER
20 AMP

1 WAY SP
WIDE ROCKER
LED LOCATOR
20 AMP

2 WAY SP
20 AMP

2 WAY SP
LED LOCATOR
20 AMP

2 WAY SP
WIDE ROCKER
20 AMP

2 WAY SP
WIDE ROCKER
LED LOCATOR
20 AMP

INTERMEDIATE
20 AMP

INTERMEDIATE
LED LOCATOR
20 AMP



SYNTHETIC FINISHES

CHALK WHITE – SCW	K34991SCW	1	K34991NSCW	1	K34892SCW	1	K34892NSCW	1	K34992SCW	1	K34992NSCW	1	K34894SCW	1	K34894NSCW	1
NATURAL STONE – SNS	K34991SNS	1	K34991NSNS	1	K34892SNS	1	K34892NSNS	1	K34992SNS	1	K34992NSNS	1	K34894SNS	1	K34894NSNS	1
BEACH PEBBLE – SBP	K34991SBP	1	K34991NSBP	1	K34892SBP	1	K34892NSBP	1	K34992SBP	1	K34992NSBP	1	K34894SBP	1	K34894NSBP	1
BLACK – BLK	K34991BLK	1	K34991NBLK	1	K34892BLK	1	K34892NBLK	1	K34992BLK	1	K34992NBLK	1	K34894BLK	1	K34894NBLK	1

LEAD TIMES
Please contact our Customer
Services Department on
01268 563 404

These switches do NOT
have to be derated when
used with fluorescent or
inductive loads
BS EN 60669-1:1999

These switches do NOT
have to be derated when
used with fluorescent or
inductive loads
BS EN 60669-1:1999

These switches do NOT
have to be derated when
used with fluorescent or
inductive loads
BS EN 60669-1:1999

These switches do NOT
have to be derated when
used with fluorescent or
inductive loads
BS EN 60669-1:1999

These switches do NOT
have to be derated when
used with fluorescent or
inductive loads
BS EN 60669-1:1999

These switches do NOT
have to be derated when
used with fluorescent or
inductive loads
BS EN 60669-1:1999

These switches do NOT
have to be derated when
used with fluorescent or
inductive loads
BS EN 60669-1:1999

These switches do NOT
have to be derated when
used with fluorescent or
inductive loads
BS EN 60669-1:1999

Grid Modules

WIDE ROCKER
INTERMEDIATE
LED LOCATOR
20 AMP

1 WAY DP
20 AMP

1 WAY DP
LED LOCATOR
20 AMP

1 WAY DP
WIDE ROCKER
20 AMP

2 WAY
WIDE ROCKER
LED LOCATOR
20 AMP

FUSE UNIT
13 AMP

BLANK INSERT



SYNTHETIC FINISHES	1 WAY DP WIDE ROCKER INTERMEDIATE LED LOCATOR 20 AMP				2 WAY WIDE ROCKER LED LOCATOR 20 AMP			FUSE UNIT 13 AMP	BLANK INSERT					
CHALK WHITE – SCW	K34994NSCW	1	K34896SCW	1	K34896NSCW	1	K34996SCW	1	K34992NSCW	1	K34890SCW	1	K34880SCW	1
NATURAL STONE – SNS	K34994NSNS	1	K34896SNS	1	K34896NSNS	1	K34996SNS	1	K34992NSNS	1	K34890SNS	1	K34880SNS	1
BEACH PEBBLE – SBP	K34994NSBP	1	K34896SBP	1	K34896NSBP	1	K34996SBP	1	K34992NSBP	1	K34890SBP	1	K34880SBP	1
BLACK – BLK	K34994NBLK	1	K34896BLK	1	K34896NBLK	1	K34996BLK	1	K34992NBLK	1	K34890BLK	1	K34880BLK	1

LEAD TIMES
Please contact our Customer Services Department on 01268 563 404

These switches do NOT have to be derated when used with fluorescent or inductive loads
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads
BS EN 60669-1:1999

These switches do NOT have to be derated when used with fluorescent or inductive loads
BS EN 60669-1:1999

BS5733:2010

BS5733:2010



Euro Modular Frontplates

1 MODULE
25 X 50MM

2 MODULE
50 X 50MM

4 MODULE
100 X 50MM

Wireless Transmitters for Echo™

1 CHANNEL

2 CHANNEL

1 CHANNEL
WITH SYMBOLS

2 CHANNEL
WITH SYMBOLS



SYNTHETIC FINISHES	1 MODULE 25 X 50MM		2 MODULE 50 X 50MM		4 MODULE 100 X 50MM		1 CHANNEL		2 CHANNEL		1 CHANNEL WITH SYMBOLS		2 CHANNEL WITH SYMBOLS	
CHALK WHITE – SCW	K35111SCW	1	K35112SCW	1	K35114SCW	1	K35208SCW	1	K35209SCW	1	K35206SCW	1	K35207SCW	1
NATURAL STONE – SNS	K35111SNS	1	K35112SNS	1	K35114SNS	1	K35208SNS	1	K35209SNS	1	K35206SNS	1	K35207SNS	1
BEACH PEBBLE – SBP	K35111SBP	1	K35112SBP	1	K35114SBP	1	K35208SBP	1	K35209SBP	1	K35206SBP	1	K35207SBP	1
GLASS EFFECT FINISHES														
ICE WHITE – GIW	K35111GIW	1	K35112GIW	1	K35114GIW	1	K35208GIW	1	K35209GIW	1	K35206GIW	1	K35207GIW	1
POLISHED JADE – GPJ	K35111GPJ	1	K35112GPJ	1	K35114GPJ	1	K35208GPJ	1	K35209GPJ	1	K35206GPJ	1	K35207GPJ	1
POLISHED ONYX – GPO	K35111GPO	1	K35112GPO	1	K35114GPO	1	K35208GPO	1	K35209GPO	1	K35206GPO	1	K35207GPO	1
POLISHED STONE – GPS	K35111GPS	1	K35112GPS	1	K35114GPS	1	K35208GPS	1	K35209GPS	1	K35206GPS	1	K35207GPS	1
METALLIC FINISHES														
BRUSHED STEEL – MBS	K35111MBS	1	K35112MBS	1	K35114MBS	1	K35208MBS	1	K35209MBS	1	K35206MBS	1	K35207MBS	1
BRUSHED BRONZE – MBB	K35111MBB	1	K35112MBB	1	K35114MBB	1	K35208MBB	1	K35209MBB	1	K35206MBB	1	K35207MBB	1
CAST IRON – MCI	K35111MCI	1	K35112MCI	1	K35114MCI	1	K35208MCI	1	K35209MCI	1	K35206MCI	1	K35207MCI	1
SATIN PLATINUM – MSP	K35111MSP	1	K35112MSP	1	K35114MSP	1	K35208MSP	1	K35209MSP	1	K35206MSP	1	K35207MSP	1
SATIN TITANIUM – MST	K35111MST	1	K35112MST	1	K35114MST	1	K35208MST	1	K35209MST	1	K35206MST	1	K35207MST	1
NATURAL FINISHES														
BRITISH OAK – NBO	K35111NBO	1	K35112NBO	1	K35114NBO	1	K35208NBO	1	K35209NBO	1	K35206NBO	1	K35207NBO	1
CREAM HIDE – NCH	K35111NCH	1	K35112NCH	1	K35114NCH	1	K35208NCH	1	K35209NCH	1	K35206NCH	1	K35207NCH	1
DARK HIDE – NDH	K35111NDH	1	K35112NDH	1	K35114NDH	1	K35208NDH	1	K35209NDH	1	K35206NDH	1	K35207NDH	1
DARK WENGE – NDW	K35111NDW	1	K35112NDW	1	K35114NDW	1	K35208NDW	1	K35209NDW	1	K35206NDW	1	K35207NDW	1

LEAD TIMES
Please contact our Customer Services Department on 01268 563 404

MOUNTING BOXES
Suitable for flush boxes to BS 4662:2006 and surface boxes to BS 5733:2010
Refer to appropriate module for minimum box depth.
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS 5733:2010 where applicable.

MOUNTING BOXES
Suitable for flush boxes to BS 4662:2006 and surface boxes to BS 5733:2010
Refer to appropriate module for minimum box depth.
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS 5733:2010 where applicable.

MOUNTING BOXES
Suitable for flush boxes to BS 4662:2006 and surface boxes to BS 5733:2010
Refer to appropriate module for minimum box depth.
DIMENSIONS
86 x 146mm
FIXING CENTRES
120.6mm
BS 5733:2010 where applicable.

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
OPERATING FREQUENCY
868.3Mhz
ETSI EN 301 489-1 + -3 :
ETSI EN 300 220-3

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
ETSI EN 301489-1/3
ETSI EN 300220-1/2

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
ETSI EN 301489-1/3
ETSI EN 300220-1/2

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
ETSI EN 301489-1/3
ETSI EN 300220-1/2

No grid required, modules just clip into place



Other Switch Products

ROLLER SHUTTER/BLIND CONTROL 10 AMP	3 GANG 2 WAY SP 20 AMP	DO NOT DISTURB / MAKE UP ROOM SWITCH	BELL PUSH DO NOT DISTURB / MAKE UP ROOM SWITCH	PIR DETECTOR	KEY CARD SWITCH 50/60HZ 2 WAY 30 SEC OFF DELAY
--	------------------------------	--------------------------------------	---	--------------	--

Euro Modules

RJ11/12 1 MODULE 25 X 50MM	RJ45 CAT 6 1 MODULE 25 X 50MM	MASTER TELEPHONE 1 MODULE 25 X 50MM	SECONDARY TELEPHONE 1 MODULE 25 X 50MM	SINGLE TV CO-AXIAL NON-ISOLATED (IEC MALE) 1 MODULE 25 X 50MM
----------------------------------	-------------------------------------	---	--	---



SYNTHETIC FINISHES												
CHALK WHITE – SCW	K35203SCW	1	K34373SCW	1	K33900DNDSCW	1	K33885DNDSCW	1	K35202SCW	1	K35201SCW	1
NATURAL STONE – SNS	K35203SNS	1	K34373SNS	1	K33900DNDSNS	1	K33885DNDSNS	1	K35202SNS	1	K35201SNS	1
BEACH PEBBLE – SBP	K35203SBP	1	K34373SBP	1	K33900DND SBP	1	K33885DND SBP	1	K35202SBP	1	K35201SBP	1
GLASS EFFECT FINISHES												
ICE WHITE – GIW	K35203GIW	1	K34373GIW	1	K33900DNDGIW	1	K33885DNDGIW	1	K35202GIW	1	K35201GIW	1
POLISHED JADE – GPJ	K35203GPJ	1	K34373GPJ	1	K33900DNDGPJ	1	K33885DNDGPJ	1	K35202GPJ	1	K35201GPJ	1
POLISHED ONYX – GPO	K35203GPO	1	K34373GPO	1	K33900DNDGPO	1	K33885DNDGPO	1	K35202GPO	1	K35201GPO	1
POLISHED STONE – GPS	K35203GPS	1	K34373GPS	1	K33900DNDGPS	1	K33885DNDGPS	1	K35202GPS	1	K35201GPS	1
METALLIC FINISHES												
BRUSHED STEEL – MBS	K35203MBS	1	K34373MBS	1	K33900DNDMBS	1	K33885DNDMBS	1	K35202MBS	1	K35201MBS	1
BRUSHED BRONZE – MBB	K35203MBB	1	K34373MBB	1	K33900DNDMBB	1	K33885DNDMBB	1	K35202MBB	1	K35201MBB	1
CAST IRON – MCI	K35203MCI	1	K34373MCI	1	K33900DNDMCI	1	K33885DNDMCI	1	K35202MCI	1	K35201MCI	1
SATIN PLATINUM – MSP	K35203MSP	1	K34373MSP	1	K33900DNDMSP	1	K33885DNDMSP	1	K35202MSP	1	K35201MSP	1
SATIN TITANIUM – MST	K35203MST	1	K34373MST	1	K33900DNDMST	1	K33885DNDMST	1	K35202MST	1	K35201MST	1
NATURAL FINISHES												
BRITISH OAK – NBO	K35203NBO	1	K34373NBO	1	K33900DNDNBO	1	K33885DNDNBO	1	K35202NBO	1	K35201NBO	1
CREAM HIDE – NCH	K35203NCH	1	K34373NCH	1	K33900DNDNCH	1	K33885DNDNCH	1	K35202NCH	1	K35201NCH	1
DARK HIDE – NDH	K35203NDH	1	K34373NDH	1	K33900DNDNDH	1	K33885DNDNDH	1	K35202NDH	1	K35201NDH	1
DARK WENGE – NDW	K35203NDW	1	K34373NDW	1	K33900DNDNDW	1	K33885DNDNDW	1	K35202NDW	1	K35201NDW	1

SYNTHETIC FINISHES										
CHALK WHITE – SCW	K5887SCW	5	K5846SCW	5	K5820SCW	5	K5821SCW	5	K5850SCW	5
NATURAL STONE – SNS	K5887SNS	5	K5846SNS	5	K5820SNS	5	K5821SNS	5	K5850SNS	5
BEACH PEBBLE – SBP	K5887SBP	5	K5846SBP	5	K5820SBP	5	K5821SBP	5	K5850SBP	5
BLACK – BLK	K5887BLK	5	K5846BLK	5	K5820BLK	5	K5821BLK	5	K5850BLK	5

Suitable for both RJ11 and RJ12 jacks
RJ11: 4 wire
RJ12: 6 wire
MOUNTING BOXES
Minimum box depth 25mm
FCC68
EN 41003

Cat 6 performance.
Suitable for both 568A and 568B wiring schemes.
MOUNTING BOXES
Minimum Box Depth 35mm
ISO/IEC 11801
EN 50173
TIA 568
EN 41003

MOUNTING BOXES
Minimum depth 25mm
BS 6312 Pt 2

MOUNTING BOXES
Minimum depth 25mm
BS 6312 Pt 2

Fully screened non isolated single TV outlets for connection to a single TV co-axial lead.
MOUNTING BOXES
Min box depth 32mm
BS 3041:1997
IEC 169-2:1965
BS EN 50083 & BS 5733:2010 where applicable

LEAD TIMES
Please contact our Customer Services Department on 01268 563 404

MOUNTING BOXES
35mm
866ZIC
47mm
877ZIC
IEC 60669-1

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
These switches do NOT have to be derated when used with fluorescent or inductive loads
BS EN 60669-1:1999

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-1:1999

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
BS EN 60669-1:1999

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
IEC 60669-2-1

MOUNTING BOXES
35mm
866ZIC
46mm
877ZIC
DIMENSIONS
86 x 86mm
FIXING CENTRES
60.3mm
IEC 60669-2-1

Euro Modules

SINGLE OUTLET (IEC FEMALE) 1 MODULE 25 X 50MM	SINGLE F-TYPE SATELLITE SOCKET 1 MODULE 25 X 50MM	TWIN OUTLET TV/FM DIPLEXER 2 MODULE 50 X 50MM	TRIPLE OUTLET TV/FM/SATELLITE TRIPLEXER 2 MODULE 50 X 50MM	QUAD OUTLET TV-FM/DAB-2XSAT 2 MODULE 50 X 50MM
--	--	--	--	---

Euro Power Modules

AMERICAN 127V SHUTTERED 2 MODULE 50 X 50MM (NON UK) 15 AMP	UK 250V SHUTTERED 2 MODULE 50 X 50MM 5 AMP	UK 250V 2 MODULE 50 X 50MM 13 AMP
--	--	---

FRENCH/BELGIAN 2P+E 250V SHUTTERED 2 MODULE 50 X 50MM (NON UK) 16 AMP

FEMALE HDMI OUTLET 2 MODULE 50 X 50MM
--



SYNTHETIC FINISHES

CHALK WHITE – SCW	K5851SCW	5	K5855SCW	5	K5852DABSCW	5	K5853DABSCW	5	K5854DABSCW	5
NATURAL STONE – SNS	K5851SNS	5	K5855SNS	5	K5852DABSNS	5	K5853DABSNS	5	K5854DABSNS	5
BEACH PEBBLE – SBP	K5851SBP	5	K5855SBP	5	K5852DABSBP	5	K5853DABSBP	5	K5854DABSBP	5
BLACK – BLK	K5851BLK	5	K5855BLK	5	K5852DABBLK	5	K5853DABBLK	5	K5854DABBLK	5

K5832SCW	10	K5833SCW	10	K5830SCW	10	K5831SCW	10	K5807SCW	5
K5832SNS	10	K5833SNS	10	K5830SNS	10	K5831SNS	10	K5807SNS	5
K5832SBP	10	K5833SBP	10	K5830SBP	10	K5831SBP	10	K5807SBP	5
K5832BLK	10	K5833BLK	10	K5830BLK	10	K5831BLK	10	K5807BLK	5

Fully screened non isolated TV outlets containing a combination of single, TV/FM Diplexer and TV/FM/SAT Triplexer for use within digital TV systems and interactive TV services. Single outlets for connection to a single TV, FM or Satellite co-axial aerial lead.

PERFORMANCE
SINGLE OUTLETS
TV/FM Iec Male Or Female
DC-950MHz
SAT F-TYPE
DC-1.75GHz

MOUNTING BOXES
Min box depth 32mm
BS 3041:1997
IEC 169-2:1965
BS EN 50083 & BS 5733:2010
where applicable

TV/FM/SAT PRODUCTS
Outlet Diplexer
TV 5-65MHz
470-862MHz
FM/DAB 87.5-108MHz FM
SAT N/A 950-2300MHz

TV/FM/DAB/SAT PRODUCTS FOR DIGITAL RADIO
Outlet Diplexer
TV 5-65MHz
470-862MHz
FM/DAB 87.5-230MHz FM
SAT OR SAT1 N/A 950-2300MHz
SAT2 5-2300MHz

MOUNTING BOX
35mm minimum
46mm (for extra wiring space)
SASO 2204:2003

MOUNTING BOX
35mm minimum
46mm (for extra wiring space)
BS 546: 1950

MOUNTING BOX
35mm minimum
46mm (for extra wiring space)
BS 1363: Pt2: 1995

MOUNTING BOX
46mm
IEC 60884-1: 2006

K5807 Female HDMI Outlet is HDMI 1.1, 1.2, 1.3 and 1.4 compatible, HDCP compliant.
DATA RATE
Up to 2.25 Gbps
SCAN
Up to 1080p/1920x1200
INPUT CONNECTOR
1 x HDMI Female (Type A)
OUTPUT CONNECTOR
1 x HDMI Female (Type A)
Supports high resolution input
PC
VGA, SVGA, SXVGA (1280x1024) and UXGA (1600x1200, 1920x1200)
HDTV
480p, 720p, 1080i and 1080p
HDMI input cable should be no larger than 20m.
MOUNTING BOX
46mm

Elements

mkelectric.co.uk



Technical Hotline
+44 (0)1268 563720

Elements

Euro Modules

USB CHARGING 2 MODULE 50 X 50MM	RCA TO SCREW TERMINATION SET 1 RED AND 1 BLACK 1 MODULE 25 X 50MM	TERMINATION SET 1 YELLOW, 1 WHITE AND 1 RED 1 MODULE 25 X 50MM	AUDIO BINDING POST FOR SINGLE LOUD SPEAKER 1 MODULE 25 X 50MM	BLANK 1 MODULE 25 X 50MM	BLANK 2 MODULE 50 X 50MM
---------------------------------------	---	--	---	--------------------------------	--------------------------------

Blank Plates

1 GANG 2 GANG

SYNTHETIC FINISHES						
CHALK WHITE – SCW	K5837SCW 1	K5806SCW 5	K5809SCW 5	K5805SCW 5	K188SCW 10	K180SCW 10
NATURAL STONE – SNS	K5837SNS 1	K5806SNS 5	K5809SNS 5	K5805SNS 5	K188SNS 10	K180SNS 10
BEACH PEBBLE – SBP	K5837SBP 1	K5806SBP 5	K5809SBP 5	K5805SBP 5	K188SBP 10	K180SBP 10
BLACK – BLK	K5837BLK 1	K5806BLK 5	K5809BLK 5	K5805BLK 5	K188BLK 10	K180BLK 10

USB charging sockets, each capable of supporting 2A charge (total of 2A).
K5837 MOUNTING BOX
Minimum Box depth 35mm
46mm for extra wiring space
IEC 60950-1
IEC 61000-6-1/3

MOUNTING BOX
35mm minimum

MOUNTING BOX
35mm minimum

MOUNTING BOX
35mm minimum

BS 5733: 2010 where applicable

BS 5733: 2010 where applicable

SYNTHETIC FINISHES		
CHALK WHITE – SCW	K34330SCW 1	K34329SCW 1
NATURAL STONE – SNS	K34330SNS 1	K34329SNS 1
BEACH PEBBLE – SBP	K34330SBP 1	K34329SBP 1
GLASS EFFECT FINISHES		
ICE WHITE – GIW	K34330GIW 1	K34329GIW 1
POLISHED JADE – GPJ	K34330GPJ 1	K34329GPJ 1
POLISHED ONYX – GPO	K34330GPO 1	K34329GPO 1
POLISHED STONE – GPS	K34330GPS 1	K34329GPS 1
METALLIC FINISHES		
BRUSHED STEEL – MBS	K34330MBS 1	K34329MBS 1
BRUSHED BRONZE – MBB	K34330MBB 1	K34329MBB 1
CAST IRON – MCI	K34330MCI 1	K34329MCI 1
SATIN PLATINUM – MSP	K34330MSP 1	K34329MSP 1
SATIN TITANIUM – MST	K34330MST 1	K34329MST 1
NATURAL FINISHES		
BRITISH OAK – NBO	K34330NBO 1	K34329NBO 1
CREAM HIDE – NCH	K34330NCH 1	K34329NCH 1
DARK HIDE – NDH	K34330NDH 1	K34329NDH 1
DARK WENGE – NDW	K34330NDW 1	K34329NDW 1

MOUNTING BOXES
FLUSH
866ZIC
DIMENSIONS:
86 x 86mm
FIXING CENTRES
60.3mm
BS 5733:2010

MOUNTING BOXES
FLUSH
866ZIC
DIMENSIONS:
86 x 146mm
FIXING CENTRES
120.6mm
BS 5733:2010

